

Ontario TBI Report Card, 2017/18:

MISSISSAUGA HALTON LHIN

Ranked 1 or 2 of 14 LHINs
Ranked 13 or 14 of 14 LHINs

Indicator no.	Care continuum category	Indicator	2017/18 (2016/17)	Ontario 2017/18	Variance across LHINS (min-max)	Rank
1	Prevention	Annual age- and sex- standardized incidence rate for TBI per 1,000 population (%)	1.96 (1.82)	2.39	1.85-3.42	3
2	Prevention	Annual risk-adjusted mortality rate within 30 days of admission for TBI ¹ (%)	11.46 (15.51)	13.32	10.98-25.98	3
3	Acute management	Proportion of alternate level of care days to total length of stay in acute care (%)	36.34 (27.77)	24.31	12.90-36.34	14
4	Acute management	Proportion of acute TBI patients discharged from acute care and admitted to inpatient rehabilitation (%)	21.75 (24.48)	19.97	12.68-28.52	4
5	Rehabilitation	Median days from TBI onset and admission to inpatient TBI rehabilitation	18.5 (19)	17	10.5-34.5	7
6	Rehabilitation	Median days from discharge from acute or inpatient rehabilitation to first homecare therapy visit	6 (7.5)	9	5-27	3
7	Rehabilitation	Median number of homecare therapy visits among TBI patients discharged from inpatient acute inpatient rehabilitation	6.5 (5)	4	3-7	2
8	Reintegration	a) Proportion of TBI patients discharged from inpatient rehabilitation with a GP/FP follow-up assessment within 30 days of discharge (%)	82.61 (75.59)	76.12	42.86-87.30	4
		b) Proportion of TBI patients discharged from inpatient rehabilitation with a follow-up assessment with a specialist within 180 days of discharge (%)	55.8 (50.39)	67.32	55.80-82.56	14
9	Reintegration	Proportion of TBI patients discharged from acute care to CCC/LTC ² (%)	5.70 (5.21)	5.7	1.29*-9.64	8
10	Reintegration	Mean total LOS days in institutional-based care in the first 90 days from TBI onset ² (%)	6.75 (7.37)	7.92	5.29-9.09	12
11	Reintegration	Age- and sex-adjusted all-cause readmission rate at 30 days for patients with TBI (%)	3.02 (4.32)	4.18	3.02-4.99	1

*Exact counts suppressed for privacy, the average of the maximum and minimum value presented.

¹ Patients who were alive when they arrived at the emergency department and admitted to hospital were included in the 30-day mortality rate.

² Excluding patients originating from LTC/CCC.

Note: Traumatic brain injury (TBI); General practitioner (GP); Family physician (FP); Complex continuing care (CCC); Long-term care (LTC).